KALA

APPLIKATOR MODULAR

Flexibility in sizes for all your finishing work without a limit

Applikator 4400 with LED kit

SIGNIFICANT EFFICIENCY GAIN AND TIME SAVING IN YOUR ADHESIVE MEDIA APPLICATIONS

- Lamination of any kind of adhesive material and mounting up to 65 mm (2 ½'') thickness
- Working width 170 cm (67'')
- Modular system: base model of 2,05 m – 6' 9" expandable by sections of 2,38 m - 7' 10". Chose your size upon order or have it expanded later.
- Electrical motors as the source for controlling the roller's elevation motion and safety control by laser sensor
- Adjustable pressure from both ends of the gantry with 3 pre-set levels for precise pressure application
- Roller stays parallel to the table surface, wherever the media is positionned on the working surface.
- Assembled on site within a few hours by one technician. The table will fit in any working environment, even with narrow access.
- Laminated glass for a smooth diffusion of backlighting. LED lighting system available as an option
- Antistatic, self-healing and phtalate free PVC mat, thickness of 4 mm, cut to the table size, included with the machine
- Adjustable height upon installation 80/90/100 cm – 31 ½''/35 ½'' /39''

APPLIKATOR MODULAR

⊷ MODULAR AND EVOLUTIONARY SYSTEM

EVOLUTIONARY APPLIKATOR – WIDTH: 1,70 M – 67''

This modular system is expandable by modules measuring 2,38 m – 7' 10'' without limitations, either upon ordering or also field expandable.
Select the format that suits your needs today without wondering about future needs.
This lamination table can bring a lot of benefits to your operation and will match the evolution of your company.
Length: base module 2,38 m – 7' 10" expandable by the same size of 2,38 m – 7' 10".
Delivered with standard feet.
Use of castors is not suitable with the Grandé range.

Addition of a second gantry for simultaneous application on the same table

Working height can be adjusted upon installation at:
80, 90 ou 100 cm
(2' 7 ½", 2' 11 ½", 3' 3 ½")

Applikator in 9,2 m – 30' usable length with 2 gantries

APPLIKATOR MODULAR

CUSTOMIZE YOUR LAMINATION TABLE

Give your creative and finishing touch to your AppliKator table by customizing it with your brand logo or decorative design as illustrated in the image below.

Closing panels not supplied with the machine. Cutting drawings are available on demand.

OPTIONS

SUPPLY OF ADHESIVE ROLLS

APPSUPAXE
Adhesive roll holder

APPFREIN
Adhesive roll holder on an aluminium self-blocking shaft. Delivered without shaft

AX 1650
Self-blocking shaft in 165 – 65''

BA 1650 30
Scrolling bar

STORING & CUTTING

STORING SYSTEM
To be installed at the end of the table.
Delivered without shaft

SHELF
Adaptable on the long or short edge of the table

CUTTING BAR ADAPTATION 165 CM
Perfect for works in series. The cutting bar is easily removable from its location.

LED LIGHTING SYSTEM
Directly connected to the power supply of the machine. Improves accuracy for the most demanding jobs.

APPLIKATOR MODULAR

—• TECHNICAL DATA

	APP 2000	APP 4400	APP 6800	APP 9200
Usable length	208 cm – 6' 10"	445 cm – 14' 6"	683 cm – 22' 5"	921 cm – 30' 3"
Total length	238 cm – 7' 10"	476 cm – 15' 8"	714 cm – 23' 5"	952 cm – 31' 3"
Usable width	170 cm – 67"			
Total width	227 cm – 90"			
Height	Adjustable 80, 90, 100 cm (2 ft 7 ½" – 2 ft 11 ½" – 3 ft 3 ⅓") upon installation			
Mounting thickness	6,5 cm – 2 ½"			
Surface of the table	Glass panels			
Antistatic PVC mat	Thickness 4 mm			
Optional castors	Yes	No		
Voltage	110 & 230 V - 50 / 60 Hz			
Power	400 W			
Weight without LED	300 kg – 660 lb	470 kg – 1040 lb	720 kg – 1590 lb	970 kg – 2140 lb
Shipping dimension without LED W x D x H	2 Pallets 232 x 72 x 100 cm 93" x 28" x 39" 232 x 72 x 75 cm 93" x 28" x 30"	2 Pallets 232 x 72 x 100 cm 93" x 28" x 39" 232 x 72 x 130 cm 93" x 28" x 51"	3 Pallets (x2) = 232 x 130 x 100 cm 93" x 28" x 39" (x1) = 232 x 130 x 75 cm 93" x 28" x 30"	3 Pallets (x2) = 232 x 130 x 100 cm 93" x 28" x 39" (x1) = 232 x 130 x 130 cm 93" x 28" x 51"
Shipping weight without LED	400 kg – 882 lb	570 kg – 1250 lb	850 kg – 1875 lb	1150 kg - 2530 lb

KALA

Made in France

CE

RoHS